

Omnipro



KITCHEN FAUCETS • LAVATORY FAUCETS • TUB & SHOWER KITS

Table of Contents



Numbering System	3	Builder Kitchen and Pot Fillers	22
Highlight Kitchen and Lavatory	6	Builder Lavatory	23
Highlight Tub & Shower.....	7	Builder Tub & Shower	24
 		Builder Rough-In Valves and Roman Tub.....	25
Angelic Kitchen, Bar and Lavatory	10	 	
Angelic Tub & Shower.....	11	Classic Lavatory and Laundry	28
Angelic Roman Tub.....	12	 	
 		Value Lavatory	30
Leverage Kitchen Ceramic	14	Value Tub & Shower	31
Leverage Kitchen and Bar Ceramic.....	15	 	
Leverage Lavatory Ceramic.....	16	Hand Showers	32
Leverage Tub & Shower Ceramic	17	 	
Leverage Kitchen and Bar Washerless.....	18	Quality Statement	33
Leverage Lavatory Washerless	19	Warranty	33
Leverage Tub & Shower Washerless	20		

Omni^{pro}

Numbering System

Example:
Leverage, Single Handle
Kitchen Faucet, Chrome



OPL - 100 C

OmniPro Faucet Series
Series
Description
Finish

Faucet Series					
Highlight Designation: OPH	Angelic Designation: OPA	Leverage Designation: OPL	Builder Designation: OPB	Classic Designation: OPC	Value Designation: OPV

Kitchen								
100 Series Single Handle Kitchens	100/105 Metal Handle / Less Spray	130/135 Metal Handle Spray On Deck	140/145 Metal Handle Spray Off Deck	150 Pull-Out	151 Pull-Down	153 Pull-Out	155 Culinary Faucet	190 Pot Filler
200 Series Two Handle Kitchens	200/205 Metal Handles Less Spray	202 Acrylic Handles Less Spray	240/245 Metal Handles With Spray	242 Acrylic Handles With Spray	250 Metal Handles Less Spray	260 Metal Handles With Spray (BL Only)		

Specialty Faucets			
300 Series Bar, Laundry, Wallmount	320/325 Bar Faucet / Three Hole / Metal Handles	380 & 386 Laundry Faucet	308, 312 Wallmount Kitchen

Lavatory				
400 Series* Two Handle Lavatory	400/405 4" Centerset / Metal Handles	402 4" Centerset / Acrylic Handles	420 4" Centerset / High Arc Spout	480 Widespread / Metal Handles
500 Series Single Handle Lavatory	500/505 4" Centerset / Single Hole / Metal Handle	502 4" Centerset / Single Hole / Acrylic Handle	550 4" Centerset/1 or 3 hole Mount/ 50/50 Push Pop-Up	

Hand Shower	
600 Series Hand Shower	600 72" Hose / 24" Metal Slide Bar

Tub & Showers				
* Pressure Balanced Valve ** Conventional — Non Pressure Balanced Valve				
700 Series* Single Handle Tub & Shower	700/705 Valve Only Metal Handle	720/725 Shower Only Metal Handle	730/735 Tub & Shower Metal Handle	SR-799 Universal Pressure Balancing Valve
700 Series** Single Handle Tub & Shower	770 Tub & Shower / Metal Handle		772 Tub & Shower / Acrylic Handle	
800 Series** Two Handle Tub & Shower	820 Shower Only Metal Handles	822 Shower Only Acrylic Handles	830 Tub & Shower Metal Handles	832 Tub & Shower Acrylic Handles
800 Series** Three Handle Tub & Shower	870 Tub & Shower / Metal Handles		872 Tub & Shower / Acrylic Handles	

Roman Tubs		
900 Series Two Handle Roman Tub	900 3 Hole Metal Handles	999 Universal 3 Hole Rough-In Valve

Finish Designations
C = Chrome
BN = Brushed Nickel
MB = Matte Black
ORB = Oil Rubbed Bronze
SS = Stainless Steel
RB = Rough Brass

Feature Designations		
A = Hose Adapter	G = Gerber Style	L = Less Pop-Up
B = Wrist Blade Handles	GD = Grid Drain	P = Plastic Push Pop-Up
D = Decorative	H = Heavy Duty	W = Washerless
F = 50/50 Push Pop-Up	JP = Job Pack	WS = With Stop

OmniPro

Notes

[illegible]





















Highlight


















Omni^{pro}

Highlight Kitchen and Lavatory

Our Highlight family radiates contemporary design with its strong and bold lines. Highlight faucets are EPA WaterSense® certified and California Energy Commission compliant where applicable. This family boasts ceramic valves, push pop-ups, quick connect technology and integrated supply lines on select faucets. Highlight is the perfect pick for high quality contemporary design!



Single Handle Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
	OPH-151C	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	  
	OPH-151SS	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	  
	OPH-151MB	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	  
	OPH-155C	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	  
	OPH-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	  
	OPH-155MB	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	  

Single Handle Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
	OPH-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.0 GPM, Chrome	   
	OPH-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPH-500MB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.0 GPM, Matte Black	   
	OPH-550C	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Chrome	   
	OPH-550BN	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPH-550MB	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Matte Black	   

Omniopro



Chrome



Stainless Steel





























Brushed Nickel



Matte Black

Highlight Tub & Shower

Single Control Tub & Shower Kits			
	MODEL#	DESCRIPTION	APPROVALS
 OPH-730MBJP	OPH-730CJP	Tub & Shower Trim, 3 Function Showerhead, Slip on Diverter Spout, Metal Lever Handle, Pressure Balance Valve, CC & IP, With Stops, 1.8 GPM, Chrome	  
	OPH-720CJP	Shower Only Trim, 6" Showerhead with Metal Ball Joint, Metal Lever Handle Job Pack, 1.8 GPM, Chrome	  
	OPH-700CJP	Valve Trim Only, Metal Lever Handle, Job Pack, Chrome	 
	OPH-730BNJP	Tub & Shower Trim, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Metal Lever Handle, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPH-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPH-700BNJP	Valve Trim Only, Metal Lever Handle, Job Pack, Brushed Nickel	 
	OPH-730MBJP	Tub & Shower Trim, Single Function 6" Showerhead With Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Matte Black	  
	OPH-720MBJP	Shower Only Trim, Single Function 6" Showerhead With Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Matte Black	  
	OPH-700MBJP	Valve Trim Only, Metal Lever Handle, Job Pack, Matte Black	 

Single Control Pressure Balancing Rough-In Valve Bodies			
 OPSR-799A OPSR-799 OPSR-799P OPSR-799AWS OPSR-799WS OPSR-799PWS OPSR-798 OPSR-798WS	OPSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	
	OPSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	
	OPSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	
	OPSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	
	OPSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	
	OPSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	
	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

* Extension Kits Fits All Pressure Balancing Rough-In Valves

OPSR-797C Chrome
OPSR-797BN Brushed Nickel
OPSR-797ORB Oil Rubbed Bronze

OmniPro



Notes

[illegible]



Angelica

Omni^{pro}

Angelic Kitchen, Bar and Lavatory

Angelic is a transitional style family that comes in Chrome, Stainless Steel, Brushed Nickel and Oil Rubbed Bronze finishes. Angelic is the perfect choice for any showroom, remodeling project or new construction job that requires a high end design at a remarkably affordable price without compromising quality. All Angelic family products come with our limited lifetime finish and function warranty regardless of the application. And yes, all of our tub spouts and pop-ups are still metal!
































Single Handle Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
	OPA-151C	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA UFC
	OPA-151SS	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA UFC
	OPA-151ORB	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	ADA UFC
	OPA-155C	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA UFC
	OPA-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA UFC
Bar Faucets			
	OPA-320C	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Chrome	ADA UFC
	OPA-320SS	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Stainless Steel	ADA UFC
	OPA-320ORB	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Oil Rubbed Bronze	ADA UFC
Two Handle Lavatory Faucets			
	OPA-420C	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA UFC WaterSense
	OPA-420BN	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA UFC WaterSense
	OPA-420ORB	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA UFC WaterSense
	OPA-480C	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA UFC WaterSense
	OPA-480BN	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA UFC WaterSense
	OPA-480ORB	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA UFC WaterSense

















OmniPro

Angelic Tub & Shower

Single Control Tub & Shower Job Pack Trim Kits

	MODEL#	DESCRIPTION	APPROVALS
   OPA-730BNJP   OPA-720ORBJP	OPA-730CJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	   
	OPA-720CJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	   
	OPA-730BNJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	   
	OPA-720BNJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	   
	OPA-730ORBJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	   
	OPA-720ORBJP	Single Handle Shower Trim Only, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	   

Single Control Pressure Balancing Rough-In Valve Bodies

 OPSR-799A  OPSR-799  OPSR-799P  OPSR-799AWS  OPSR-799WS  OPSR-799PWS  OPSR-798  OPSR-798WS	OPSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	
	OPSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	
	OPSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	
	OPSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	
	OPSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	
	OPSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	
	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

* Extension Kits Fits All Pressure Balancing Rough-In Valves



OPSR-797C Chrome
OPSR-797BN Brushed Nickel
OPSR-797ORB Oil Rubbed Bronze

OmniPro



Chrome















Brushed Nickel



Oil Rubbed Bronze

Angelic Roman Tub

Complete Roman Tub Kits — Rough & Trim			
	MODEL#	DESCRIPTION	APPROVALS
 <p>OPA-900C</p>	OPA-900C	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Chrome	  
 <p>OPA-900BN</p>	OPA-900BN	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Brushed Nickel	  
 <p>OPA-900ORB</p>	OPA-900ORB	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Oil Rubbed Bronze	  



Chrome



Brushed Nickel



Oil Rubbed Bronze

Notes































Leverage

Omni^{pro}

Leverage Kitchen Ceramic

Leverage is our latest family addition that boasts a unique quick install nut on all two handle faucets and single handle kitchen pull-down faucets. Push pop-ups can also be found on all lavatory faucets in various configurations. Due to our longstanding commitment to water conservation, all Leverage faucets are California Energy Commission compliant & EPA WaterSense Certified where applicable.































Single Handle Ceramic Valve Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPL-100C	OPL-100C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	  
	OPL-100SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	  
 OPL-140SS	OPL-140C	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	  
	OPL-140SS	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	  
 OPL-150C	OPL-150C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	  
	OPL-150SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	  
 OPL-151SS	OPL-151C	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Chrome	  
	OPL-151SS	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Stainless Steel	  



OmniPro






















































Leverage Kitchen and Bar Ceramic


Two Handle Ceramic Valve Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPL-200C	OPL-200C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-240C	OPL-240C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-250SS	OPL-250C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-250SS	OPL-250SS	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	  
 OPL-260C	OPL-260C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-260SS	OPL-260SS	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	  
Two Handle Ceramic Valve Bar Faucet			
 OPL-320C	OPL-320C	4" Centerset, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  

Omni^{pro}



























Leverage Lavatory Ceramic

Single Handle Ceramic Valve Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPL-500CF	OPL-500CF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	   
	OPL-500BNF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	   
Two Handle Ceramic Valve Lavatory Faucets			
 OPL-400CF	OPL-400CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	   
	OPL-400CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	   
 OPL-400BNF	OPL-400BNF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	   
	OPL-400CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	   
 OPL-420CF	OPL-400BNP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	   
	OPL-420CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	   
 OPL-420BN	OPL-420BNF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	   
	OPL-420CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	   
 OPL-480CF	OPL-480CF	8" Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	   
	OPL-480BNF	8" Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	   



OmniPro

Leverage Tub & Shower Ceramic

Single Control Tub & Shower Job Pack Trim Kits			
	MODEL#	DESCRIPTION	APPROVALS
 <p>OPL-730CJP</p> <p>OPL-730BNJP</p>	OPL-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	  
	OPL-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPL-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	  
	OPL-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPL-700CJP	Valve Trim Only, Job Pack, Chrome	 
	OPL-700BNJP	Valve Trim Only, Job Pack, Brushed Nickel	 
Single Control Pressure Balancing Rough-In Valve Bodies			
 <p>OPSR-799A</p> <p>OPSR-799</p> <p>OPSR-799P</p> <p>OPSR-799AWS</p> <p>OPSR-799WS</p> <p>OPSR-799PWS</p> <p>OPSR-798</p> <p>OPSR-798WS</p>	OPSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	
	OPSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	
	OPSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	
	OPSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	
	OPSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	
	OPSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	
	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	





















*** Extension Kits
Fits All Pressure Balancing
Rough-In Valves**



















OPSR-797C Chrome
OPSR-797BN Brushed Nickel
OPSR-797ORB Oil Rubbed Bronze









Omniopro



Leverage Kitchen & Bar Washerless

Single Handle Washerless Valve Kitchen Faucets			
 OPL-105C  OPL-105SS  OPL-135C  OPL-145C  OPL-145SS	MODEL#	DESCRIPTION	APPROVALS
	OPL-105C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	  
	OPL-105SS	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	  
	OPL-135C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	  
	OPL-145C	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	  
	OPL-145SS	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	  
























































Two Handle Washerless Valve Kitchen Faucets			
 OPL-205C  OPL-245C  OPL-202C  OPL-242C  OPL-250CB	OPL-205C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  
	OPL-245C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  
	OPL-202C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	 
	OPL-242C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	 
	OPL-250CB	Wrist Blade Handles, Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  

Two Handle Washerless Bar Faucets			
 OPL-325C  OPL-325CB	OPL-325C	4" Centerset, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  
	OPL-325CB	4" Centerset, Wrist Blade Handles, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  




Omniopro










Leverage Lavatory Washerless








Single Handle Washerless Valve Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 <p>OPL-505CL</p> <p>OPL-505BNF</p>	OPL-505CL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-505BNL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	   
	OPL-505CF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-505BNF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	   
	OPL-505CP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-505BNP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	   
Two Handle Washerless Valve Lavatory Faucets			
 <p>OPL-405CL</p> <p>OPL-405CLB</p> <p>OPL-402C</p> <p>OPL-480CLB</p>	OPL-405CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-405CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-405CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-405CLB	4" Centerset, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-402CL	4" Centerset, Acrylic Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	  
	OPL-402CF	4" Centerset, Acrylic Handles, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	  
	OPL-402CP	4" Centerset, Acrylic Handles, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	  
	OPL-480CLB	8" Widespread, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   


Omniopro



Leverage Tub & Shower Washerless

Single Control Tub & Shower Job Pack Trim Kits			
	MODEL#	DESCRIPTION	APPROVALS
	OPL-735CJP	Single Handle Tub & Shower Trim Only, Core Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	  
	OPL-725BNJP	Single Handle Shower Trim Only, Core Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	  
	OPL-705CJP	Single Handle Valve Trim Only, Job Pack, Chrome	 

Single Control Pressure Balancing Rough-In Valve Bodies			
	OPSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	
	OPSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	
	OPSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	
	OPSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	
	OPSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	
	OPSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	
	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

	
* Extension Kits Fits All Pressure Balancing Rough-In Valves	
OPSR-797C	Chrome
OPSR-797BN	Brushed Nickel
OPSR-797ORB	Oil Rubbed Bronze

Omniopro

























Builder

Omni^{pro}

Builder Kitchen and Pot Fillers

Designed with the builder in mind, the Builder family features ceramic valves, tub & shower job packs, EPA WaterSense® certified lavatory and tub & shower configurations in pleasing timeless designs. All of our slip-on tub spouts are still metal as are all of our pop-ups! All Builder family products come with our limited lifetime finish and function warranty regardless of the application.



Single Handle Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPB-150ORB	OPB-150C	Single Handle Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, Less Spray, 1.5 GPM, Chrome	  
	OPB-150SS	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Stainless Steel	  
	OPB-150ORB	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Oil Rubbed Bronze	  
 OPB-151C	OPB-151C	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	  
	OPB-151SS	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	  
	OPB-151ORB	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	  

Pot Fillers			
 OPB-190C	OPB-190C	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Chrome	  
 OPB-190SS	OPB-190SS	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Stainless Steel	  
 OPB-190ORB	OPB-190ORB	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Oil Rubbed Bronze	  

Don't see something, contact us direct at 800-431-2082.



Chrome



Stainless Steel



Oil Rubbed Bronze










































OmniPro

Builder Lavatory

Single Handle Lavatory Faucets

  	MODEL#	DESCRIPTION	APPROVALS
	OPB-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPB-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-500ORB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   




























Two Handle Lavatory Faucets

  	MODEL#	DESCRIPTION	APPROVALS
	OPB-400BN	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-400ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   
  	OPB-420C	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPB-420BN	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-420ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   
  	OPB-480C	Two Handle 8" Widespread Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPB-480BN	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-480ORB	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   


Omniopro



Builder Tub & Shower














Single Control Tub & Shower Kits			
	MODEL#	DESCRIPTION	APPROVALS
 <p>OPB-700CJP</p>  <p>OPB-720BNDJP</p>  <p>OPB-730ORBDJP</p>	OPB-730CDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Chrome	  
	OPB-720CDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Chrome	  
	OPB-700CJP	Valve Only Trim, Metal Lever Handle, Job Pack, Chrome	 
	OPB-730BNDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	  
	OPB-720BNDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	  
	OPB-700BNJP	Valve Only Trim, Metal Lever Handle, Job Pack, Brushed Nickel	 
	OPB-730ORBDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Oil Rubbed Bronze	  
	OPB-720ORBDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Oil Rubbed Bronze	  
	OPB-700ORBJP	Valve Only Trim, Metal Lever Handle, Job Pack, Oil Rubbed Bronze	 










Don't see something, contact us direct at 800-431-2082.





OmniPro

Builder Rough-In Valves and Roman Tub

Single Control Pressure Balancing Rough-In Valve Bodies			
	MODEL#	DESCRIPTION	APPROVALS
 OPSR-799A  OPSR-799  OPSR-799P  OPSR-799AWS  OPSR-799WS  OPSR-799PWS  OPSR-798	OPSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	
	OPSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	
	OPSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	
	OPSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	
	OPSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	
	OPSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	
	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

Roman Tub Kits			
 OPB-900CJP  OPB-900BNJP  OPB-900ORBJP	OPB-900CJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Chrome	 
	OPB-900BNJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Brushed Nickel	 
	OPB-900ORBJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Oil Rubbed Bronze	 

Roman Tub Rough-In Valve Body			
 OPRR-999	OPRR-999	Loose Valve Body With Ceramic Cartridges, Combination 1/2" Copper Sweat, 1/2" NPT Threaded Connectors for All Ports, For Use With Three Hole Builder Roman Tub Kits	

		* Extension Kits Fits All Pressure Balancing Rough-In Valves
OPSR-797C	Chrome	
OPSR-797BN	Brushed Nickel	
OPSR-797ORB	Oil Rubbed Bronze	

Omniopro



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



























Classic

Omni**pro**

Classic Lavatory & Laundry

Classic Series features EPA WaterSense® certified lavatories with all metal pop-ups as well as laundry faucet options. All Classic products come with our limited lifetime finish and function warranty regardless of the application.



Single Handle Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPC-500BN	OPC-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPC-500BN	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
Two Handle Lavatory Faucets			
 OPC-400C	OPC-400C	Two Handle 4" Lavatory Faucet, Metal Wing Handles, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPC-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome	  
Laundry Faucets			
 OPC-386CA	OPC-386CA	4" Laundry Tray Faucet, Metal Wing Handles, 6" Spout, Aerator and Hose Adapter, 2.2 GPM, Chrome	  
	OPC-386CH	4" Heavy Duty Laundry Tray Faucet, Metal Wing Handles, 6" Swing Spout, 2.2 GPM, Chrome	  

We are continuously updating our line to meet the new trends and standards.
If you don't see something please contact us direct at 800-431-2082.



Omniopro
























Value

Omnipro

Value Lavatory

Value Series may meet an entry level price point, but there is no compromise on quality or warranty. The Value Series features EPA WaterSense® certified products as well as a full offering of conventional (non-pressure balancing) tub and shower options. All lavatories come with metal pop-ups and our tub and shower offering still comes with metal slip-on tub spouts! And yes, our limited lifetime finish and function warranty still applies, regardless of the application.



Single Handle Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPV-500C	OPV-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPV-502C	Single Handle 4" Lavatory Faucet, Acrylic Handle, All Metal Pop-Up, 1.2 GPM, Chrome	   
Two Handle Lavatory Faucets			
 OPV-400C  OPV-402CL	OPV-400C	Two Handle 4" Lavatory Faucet, Round Metal Handles, All Metal Pop-Up, 1.2 GPM, Chrome	  
	OPV-402CL	Two Handle 4" Lavatory Faucet, Acrylic Handles, Less Pop-Up, 1.2 GPM, Chrome	  
	OPV-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome	  








We are continuously updating our line to meet the new trends and standards.
If you don't see something please contact us direct at 800-431-2082.



Omniopro

Value Tub & Shower

Complete Single Control Tub & Shower Kits / NOT PRESSURE BALANCING — Rough & Trim

 OPV-770C	MODEL#	DESCRIPTION	APPROVALS
	OPV-770C	Tub & Shower Trim, IPS Diverter Spout, Metal Lever Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	  
 OPV-772C	OPV-772C	Tub & Shower Trim, IPS Diverter Spout, Acrylic Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	 

Complete Two and Three Handle Tub & Shower Kits / NOT PRESSURE BALANCING — Rough & Trim

 OPV-830C	OPV-830C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	 
	OPV-820C	Two Handle Shower Only Trim, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	 
 OPV-832C	OPV-832C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	 
	OPV-822C	Two Handle Shower Only Trim, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	 
 OPV-870C	OPV-870C	Three Handle Tub & Shower Trim, Slip on Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	 
	OPV-872C	Three Handle Tub & Shower Trim, Slip on Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	 












OmniPro



Hand Showers

Our Hand Showers feature 72" metal hoses, brass drop elbows and 24" metal slide bars. The chrome and brushed nickel versions come complete with a five function hand shower and non-positive shut off.



Hand Showers			
	MODEL#	DESCRIPTION	APPROVALS
 <p>OPHS-600C</p>  <p>OPHS-600BN</p>  <p>OPHS-600ORB</p>	OPHS-600C	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Chrome	  
	OPHS-600BN	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Brushed Nickel	  
	OPHS-600ORB	3 Setting Hand Held Spray Head, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Oil Rubbed Bronze	 

*Slide bar is not designed to be used as a grab bar.



Chrome



Brushed Nickel



Oil Rubbed Bronze

Omni^{pro}

Committed to Quality

OmniPro is committed to maintaining a high standard of quality for all the products we offer. Most products in this catalog are labeled with a designated approval or certification code. Below is a brief description of these approvals.



ADA American Disabilities Act — Protecting the rights of people with physical or mental disabilities.



CEC California Energy Commission — As the state's primary energy policy and planning agency, the California Energy Commission is committed to reducing energy costs and environmental impacts of energy use - such as greenhouse gas emissions - while ensuring a safe, resilient, and reliable supply of energy.



EPA EPA WaterSense® — A U.S. Environmental Protection Agency (EPA) program designed to encourage water efficiency in the United States through the use of a special label on consumer products.



IAPMO International Association of Plumbing and Mechanical Officials — The IAPMO publishes standards covering products used in the Recreational Vehicle and Manufactured Housing Industry called IAPMO Trailer Standards.



LEAF Safe Drinking Water Act (SDWA) / Federal Law No. 111-380 — This is our symbol indicating a product complies with the Safe Drinking Water Act. The national law mandates that lead free products contain less than .25% weighted average lead content on wetted surfaces in applications involving dispensing water for human consumption.



UPC Uniform Plumbing Code — Developed by the International Association of Plumbing and Mechanical Officials to govern the installation and inspection of plumbing systems as a means promoting the public's health, safety and welfare.

LIMITED LIFETIME WARRANTY

All parts of the **OmniPro** faucet are warranted to the original consumer purchaser to be free from defects in material and workmanship. This warranty is made to the original consumer purchaser and shall be effective from the date of purchase as shown on purchaser's receipt.

OmniPro will replace, free of charge, during the warranty period, any part which proves defective in material and/or workmanship under normal installation, use and service. **OmniPro's** obligation under this warranty shall be limited to the replacement of any parts which proves defective upon **OmniPro's** inspection of such product. Replacement parts can be obtained by returning the defective part to your local **OmniPro** dealer, transportation charges prepaid, with a copy of the purchase receipt or by calling 1-855-806-0688.

THIS WARRANTY IS THE ONLY EXPRESSED WARRANTY MADE BY **OmniPro** AND IS LIMITED TO THE DURATION OF THIS WARRANTY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, WHETHER IMPLIED BY OPERATION OF LAW OR OTHERWISE, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OR FITNESS FOR PARTICULAR PURPOSE, ARE EXCLUDED UNDER NO CIRCUMSTANCE, AND IN NO EVENT, WILL **OmniPro** BE LIABLE FOR LOSS,

DAMAGE, COST OF REPAIRS OR INCIDENTAL PUNITIVE, PERSONAL INJURY OF PROPERTY DAMAGE OR ANY OTHER SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED UPON WARRANTY, CONTRACT, STRICT LIABILITY, NEGLIGENCE OR ANY OTHER CAUSE OF ACTION ARISING IN CONNECTION WITH THE DESIGN, MANUFACTURE, TRANSPORTATION, INSTALLATION, USE OR REPAIR OF THE PRODUCTS SOLD BY **OmniPro**. BUYER HEREBY ACKNOWLEDGES AND AGREES THAT UNDER NO CIRCUMSTANCES, AND IN NO EVENT, SHALL **OmniPro's** LIABILITY, IF ANY, EXCEED THE REPLACEMENT OF THE DEFECTIVE PRODUCT(S); NO ADDITIONAL AMOUNTS SHALL BE MADE FOR THE LABOR OR DAMAGE RESULTING FROM THE SAME, EXCEPT AS EXPRESSLY SET FORTH IN THIS PARAGRAPH, ALL PRODUCTS AND/OR SERVICES PROVIDED BY **OmniPro** AND ITS EMPLOYEES AND AGENTS ARE PROVIDED "AS IS" "WHERE IS" AND "WITH ALL FAULTS".

Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is void for any damage to this faucet due to misuse, abuse, neglect, accident, improper installation, any use in violation of instructions furnished by us, or any use of replacement parts other than genuine **OmniPro** parts.

OmniPro

Notes

[illegible]

Omni**pro**

[illegible]

A blurred background image showing a person with short brown hair, wearing a dark shirt, sitting at a desk and working on a computer. The person is looking down at the desk, and their hands are visible near the keyboard. The background is out of focus, showing some office equipment and a window with light coming through.

OmniPro

OmniPro® Customer Service

Toll Free: 800.217.4603

Email: mail@omniprofaucets.com

Web: www.omniprofaucets.com