

Omnipro



KITCHEN FAUCETS • LAVATORY FAUCETS • TUB & SHOWER KITS

Table of Contents



Numbering System	3
------------------------	---

Highlight Kitchen and Lavatory.....	6
--	---

Highlight Tub & Shower.....	7
------------------------------------	---

Angelic Kitchen, Bar and Lavatory.....	10
---	----

Angelic Tub & Shower	11
-----------------------------------	----

Angelic Roman Tub	11
--------------------------------	----

Leverage Kitchen Ceramic.....	14
--------------------------------------	----

Leverage Kitchen and Bar Ceramic.....	15
--	----

Leverage Lavatory Ceramic.....	16
---------------------------------------	----

Leverage Kitchen Washerless	17
--	----

Leverage Lavatory Washerless	18
---	----

Leverage Tub & Shower Trim.....	19
--	----

Builder Kitchen Faucets and Pot Fillers.....	22
---	----

Builder Lavatory Faucets.....	23
--------------------------------------	----

Builder Tub & Shower	24
-----------------------------------	----

Builder Roman Tub.....	25
-------------------------------	----

Classic Lavatory and Laundry Faucets	28
---	----

Value Lavatory.....	30
----------------------------	----

Value Tub & Shower.....	31
--------------------------------	----

Tub & Shower Rough-in Valves	32
---	----

Hand Showers	33
---------------------------	----

Quality Statement.....	35
------------------------	----

Warranty.....	35
---------------	----

Numbering System

Example:
Leverage, Single Handle
Kitchen Faucet, Chrome



OPL - 1 00 C

Omnipro Faucet Series
Series
Description
Finish

Faucet Series											
Highlight Designation: OPH	Angelic Designation: OPA		Leverage Designation: OPL		Builder Designation: OPB		Classic Designation: OPC		Value Designation: OPV		
Kitchen											
100 Series Single Handle Kitchens	100/105 Metal Handle / Less Spray	130/135 Metal Handle Spray On Deck	140/145 Metal Handle Spray Off Deck	150 Pull-Out	151 Pull-Down	153 Pull-Out	155 Culinary Faucet	190 Pot Filler			
200 Series Two Handle Kitchens	200/205 Metal Handles Less Spray		202 Acrylic Handles Less Spray		240/245 Metal Handles With Spray		242 Acrylic Handles With Spray		250 Metal Handles Less Spray		260 Metal Handles With Spray
Specialty Faucets											
300 Series Bar, Laundry, Wallmount	320/325 Bar Faucet / Three Hole / Metal Handles			380 & 386 Laundry Faucet				308, 312 Wallmount Kitchen			
Lavatory											
400 Series* Two Handle Lavatory	400/405 4" Centerset / Metal Handles		402 4" Centerset / Acrylic Handles		420 4" Centerset / High Arc Spout			480 Widespread / Metal Handles			
500 Series Single Handle Lavatory	500/505 4" Centerset / Single Hole /Metal Handle			502 4" Centerset / Single Hole /Acrylic Handle				550 4" Centerset/1 or 3 hole Mount/ 50/50 Push Pop-Up			
Hand Shower											
600 Series Hand Shower	600 72" Hose / 24" Metal Slide Bar										
Tub & Showers											
<div>* Pressure Balanced Valve ** Conventional — Non Pressure Balanced Valve</div>											
700 Series* Single Handle Tub & Shower	700/705 Valve Only Metal Handle		720/725 Shower Only Metal Handle		730/735 Tub & Shower Metal Handle			SR-799 Universal Pressure Balancing Valve			
700 Series** Single Handle Tub & Shower	770 Tub & Shower / Metal Handle				772 Tub & Shower / Acrylic Handle						
800 Series** Two Handle Tub & Shower	820 Shower Only /Metal Handles		822 Shower Only /Metal Handles		830 Tub & Shower / Metal Handles			832 Tub & Shower / Acrylic Handles			
800 Series** Three Handle Tub & Shower	870 Tub & Shower / Metal Handles				872 Tub & Shower / Acrylic Handles						
Roman Tubs											
900 Series Two Handle Roman Tub	900 3 Hole / Metal Handles				999 Universal 3 Hole / Rough-In Valve						

Finish Designations

C = Chrome
BN = Brushed Nickel
MB = Matte Black
ORB = Oil Rubbed Bronze
SS = Stainless Steel
RB = Rough Brass

Feature Designations

A = Hose Adapter	H = Heavy Duty
B = Wrist Blade Handles	L = Less Pop-Up
F = 50/50 Push Pop-Up	P = Plastic Push Pop-Up
G = Gerber Style	S = With Soap Dish
GD = Grid Drain	WS = With Stops

4



Highlight





Omni^{pro}

Highlight Kitchen and Lavatory

Our Highlight family radiates contemporary design with its strong and bold lines. Highlight faucets are EPA WaterSense® certified and California Energy Commission compliant where applicable. This family boasts ceramic valves, push pop-ups, quick connect technology and integrated supply lines on select faucets. Highlight is the perfect pick for high quality contemporary design!



Single Handle Kitchen Faucets

	MODEL#	DESCRIPTION	APPROVALS
	OPH-151C	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	  
	OPH-151SS	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	  
	OPH-151MB	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	  
	OPH-155C	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	  
	OPH-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	  
	OPH-155MB	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Single Handle Lavatory Faucets

	MODEL#	DESCRIPTION	APPROVALS
	OPH-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Chrome	   
	OPH-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Brushed Nickel	   
	OPH-500MB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Matte Black	   
	OPH-550C	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.0 GPM, Chrome	   
	OPH-550BN	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.0 GPM, Brushed Nickel	   
	OPH-550MB	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.0 GPM, Matte Black	   

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant



Chrome



Stainless Steel



Brushed Nickel















































Matte Black

OmniPro


Highlight Tub & Shower

Single Control Tub & Shower Kits

	MODEL#	DESCRIPTION	APPROVALS
 <p>OPH-730MBJP</p>  <p>OPH-721CJP</p>	OPH-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Chrome	  
	OPH-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Chrome	  
	OPH-700CJP	Valve Trim Only, Metal Lever Handle, Job Pack, Chrome	 
	OPH-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPH-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM Brushed Nickel	  
	OPH-700BNJP	Valve Trim Only, Metal Lever Handle, Job Pack, Brushed Nickel	 
	OPH-730MBJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Matte Black	  
	OPH-720MBJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Matte Black	  
	OPH-700MBJP	Valve Trim Only, Metal Lever Handle, Job Pack, Matte Black	 
	OPH-731CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.5 GPM, Chrome	  
	OPH-721CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.5 GPM, Chrome	  
	OPH-731BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.5 GPM, Brushed Nickel	  
	OPH-721BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.5 GPM Brushed Nickel	  
	OPH-731MBJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.5 GPM, Matte Black	  
	OPH-721MBJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.5 GPM, Matte Black	  

FOR TUB & SHOWER ROUGH-IN VALVES SEE PAGE 32

OmniPro



8



Angelic

Omni^{pro}

Angelic Kitchen, Bar and Lavatory

Angelic is a transitional style family that comes in Chrome, Stainless Steel, Brushed Nickel, Oil Rubbed Bronze and Matte Black finishes. Angelic is the perfect choice for any show-room, remodeling project or new construction job that requires a high end design at a remarkably affordable price without compromising quality. All Angelic family products come with our limited lifetime finish and function warranty regardless of the application. And yes, all of our tub spouts and pop-ups are still metal!



Single Handle Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
	OPA-151C	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA UFC
	OPA-151SS	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA UFC
	OPA-151ORB	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	ADA UFC
	OPA-151MB	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	ADA UFC
	OPA-155C	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA UFC
	OPA-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA UFC

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Bar Faucets			
	OPA-320C	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Chrome	ADA UFC
	OPA-320SS	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Stainless Steel	ADA UFC
	OPA-320ORB	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Oil Rubbed Bronze	ADA UFC
	OPA-320MB	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Matte Black	ADA UFC

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant






































Two Handle Lavatory Faucets			
	OPA-420C	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA UFC NSF/ANSI/CAN 61
	OPA-420BN	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA UFC NSF/ANSI/CAN 61
	OPA-420ORB	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA UFC NSF/ANSI/CAN 61
	OPA-420MB	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Matte Black	ADA UFC NSF/ANSI/CAN 61
	OPA-480C	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA UFC NSF/ANSI/CAN 61
	OPA-480BN	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA UFC NSF/ANSI/CAN 61
	OPA-480ORB	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA UFC NSF/ANSI/CAN 61
	OPA-480MB	Two Handle 8" Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Matte Black	ADA UFC NSF/ANSI/CAN 61













*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant



Omnipro

Angelic Tub & Shower and Roman Tub

Single Control Tub & Shower Job Pack Trim Kits			
	MODEL#	DESCRIPTION	APPROVALS
   <p>OPA-730BNJP</p>   <p>OPA-720ORBJP</p>	OPA-730CJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	   
	OPA-720CJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	   
	OPA-730BNJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	   
	OPA-720BNJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	   
	OPA-730ORBJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	   
	OPA-720ORBJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	   
	OPA-730MBJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Matte Black	   
	OPA-720MBJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Matte Black	   

Complete Roman Tub Kits — Rough & Trim			
	MODEL#	DESCRIPTION	APPROVALS
 <p>OPA-900C</p>  <p>OPA-900BN</p>  <p>OPA-900ORB</p>	OPA-900C	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Chrome	  
	OPA-900BN	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Brushed Nickel	  
	OPA-900ORB	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Oil Rubbed Bronze	  

FOR TUB & SHOWER ROUGH-IN VALVES SEE PAGE 32

Omnipro



Notes



Leverage





























Omni**pro**

Leverage Kitchen Ceramic

Leverage is our latest family addition that boasts a unique quick install nut on all two handle faucets and single handle kitchen pull-down faucets. Push pop-ups can also be found on all lavatory faucets in various configurations. Due to our longstanding commitment to water conservation, all Leverage faucets are California Energy Commission compliant & EPA WaterSense Certified where applicable.



Single Handle Ceramic Valve Kitchen Faucets

	MODEL#	DESCRIPTION	APPROVALS
 OPL-100C	OPL-100C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	  
	OPL-100SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	  
 OPL-140SS	OPL-140C	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	  
	OPL-140SS	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	  
 OPL-150C	OPL-150C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	  
	OPL-150SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	  
 OPL-151SS	OPL-151C	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Chrome	  
	OPL-151SS	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Stainless Steel	  















*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant







Chrome
Stainless Steel

OmniPro

Leverage Kitchen & Bar Ceramic

Two Handle Ceramic Valve Kitchen Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPL-200C	OPL-200C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-240C	OPL-240C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-250C	OPL-250C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-250SS	OPL-250SS	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	  
 OPL-260C	OPL-260C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  
 OPL-260SS	OPL-260SS	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant














Two Handle Ceramic Valve Bar Faucet			
 OPL-320C	OPL-320C	4" Centerset, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant




OmniPro

Leverage Lavatory Ceramic











Single Handle Ceramic Valve Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
	OPL-500CF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	
	OPL-500BNF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	
Two Handle Ceramic Valve Lavatory Faucets			
	OPL-400CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	
	OPL-400CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	
	OPL-400BNF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	
	OPL-400CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge. 1.2 GPM, Chrome	
	OPL-400BNP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge. 1.2 GPM, Brushed Nickel	
	OPL-420CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	
	OPL-420BNF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	
	OPL-420CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	
	OPL-480CF	8" Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	
	OPL-480BNF	8" Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant





















OmniPro









Leverage Kitchen Washerless

Single Handle Washerless Valve Kitchen Faucets			
 OPL-105C  OPL-135C  OPL-145SS	MODEL#	DESCRIPTION	APPROVALS
	OPL-105C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	  
	OPL-105SS	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	  
	OPL-135C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	  
	OPL-145C	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	  
	OPL-145SS	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant



























Two Handle Washerless Valve Kitchen Faucets			
 OPL-205C  OPL-245C  OPL-202C  OPL-242C  OPL-250CB	MODEL#	DESCRIPTION	APPROVALS
	OPL-205C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  
	OPL-245C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  
	OPL-202C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	 
	OPL-242C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	 
	OPL-250CB	Wrist Blade Handles, Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant


































Two Handle Washerless Bar Faucets			
 OPL-325C  OPL-325CB	MODEL#	DESCRIPTION	APPROVALS
	OPL-325C	4" Centerset, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  
	OPL-325CB	4" Centerset, Wrist Blade Handles, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Leverage Lavatory Washerless

Single Handle Washerless Valve Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPL-505CL  OPL-505BNF	OPL-505CL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-505BNL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	   
	OPL-505CF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-505BNF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	   
	OPL-505CP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-505BNP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	   

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Two Handle Washerless Valve Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPL-405CL  OPL-405CLB  OPL-402C  OPL-480CLB	OPL-405CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-405CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-405CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-405CLB	4" Centerset, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   
	OPL-402CL	4" Centerset, Acrylic Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	  
	OPL-402CF	4" Centerset, Acrylic Handles, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	  
	OPL-402CP	4" Centerset, Acrylic Handles, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	  
	OPL-480CLB	8" Widespread, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	   

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant




























Chrome



Stainless Steel


Omnipro

Leverage Tub & Shower

Single Control Tub & Shower Job Pack Trim Kits			
	MODEL#	DESCRIPTION	APPROVALS
	OPL-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	  
	OPL-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPL-735CJP	Single Handle Tub & Shower Trim Only, Core Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	  
	OPL-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	  
	OPL-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Brushed Nickel	  
	OPL-725CJP	Single Handle Shower Trim Only, Core Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	  
	OPL-700CJP	Valve Trim Only, Job Pack, Chrome	 
	OPL-700BNJP	Valve Trim Only, Job Pack, Brushed Nickel	 
	OPL-705CJP	Single Handle Valve Trim Only, Job Pack, Chrome	 

FOR TUB & SHOWER ROUGH-IN VALVES SEE PAGE 32

Omnipro



[illegible]



Builder




















Omni^{pro}

Builder Kitchen & Pot Fillers

Designed with the builder in mind, the Builder family features ceramic valves, tub & shower job packs, EPA WaterSense® certified lavatories and tub & shower configurations in pleasing timeless designs. All of our slip-on tub spouts are still metal as are all of our pop-ups! All Builder family products come with our limited lifetime finish and function warranty regardless of the application.










Single Handle Kitchen Faucets

	MODEL#	DESCRIPTION	APPROVALS
	OPB-150ORB	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Oil Rubbed Bronze	  
	OPB-151C	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	  
	OPB-151SS	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	  
	OPB-151ORB	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	  
	OPB-152C	Single Handle Kitchen Faucet with Optional Deckplate and Quick Install Nuts, Integrated Supply lines, 1.8 GPM, Chrome	  
	OPB-152SS	Single Handle Kitchen Faucet with Optional Deckplate and Quick Install Nuts, Integrated Supply lines, 1.8 GPM, Stainless Steel	  

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Pot Fillers
















	OPB-190SS	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Stainless Steel	  
	OPB-190ORB	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Oil Rubbed Bronze	  

Don't see something, contact us direct at 800-431-2082.































































OmniPro

Builder Lavatory

Single Handle Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPB-500C  OPB-500BN  OPB-500ORB	OPB-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPB-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-500ORB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant


































Two Handle Lavatory Faucets			
	MODEL#	DESCRIPTION	APPROVALS
 OPB-400BN  OPB-400ORB  OPB-401C  OPB-401BN  OPB-420C  OPB-420BN  OPB-420ORB  OPB-480C  OPB-480BN  OPB-480ORB  OPB-481C  OPB-481BN	OPB-400BN	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-400ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   
	OPB-401C	Two Handle 4" Centerset Lavatory Faucet with Metal Pop-Up and Quick Install Nuts, 1.2 GPM, Chrome	   
	OPB-401BN	Two Handle 4" Centerset Lavatory Faucet with Metal Pop-Up and Quick Install Nuts, 1.2 GPM, Brushed Nickel	   
	OPB-420C	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPB-420BN	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-420ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   
	OPB-480C	Two Handle 8" Widespread Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	   
	OPB-480BN	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	   
	OPB-480ORB	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	   
	OPB-481C	Two Handle Widespread Lavatory Faucet with Metal Pop-Up and Quick Install Nuts, 1.2 GPM, Chrome	   
	OPB-481BN	Two Handle Widespread Lavatory Faucet with Metal Pop-Up and Quick Install Nuts, 1.2 GPM, Brushed Nickel	   

*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant


OmniPro



Builder Tub & Shower






Single Control Tub & Shower Kits			
	MODEL#	DESCRIPTION	APPROVALS
 OPB-700CJP  OPB-720BNDJP    OPB-731CJP	OPB-730CDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip-On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Chrome	  
	OPB-720CDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Chrome	  
	OPB-700CJP	Valve Only Trim, Metal Lever Handle, Job Pack, Chrome	 
	OPB-730BNDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip-On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	  
	OPB-720BNDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	  
	OPB-700BNJP	Valve Only Trim, Metal Lever Handle, Job Pack, Brushed Nickel	 
	OPB-731CJP	Tub & Shower Trim Kit, Multi-function Showerhead With Metal Ball Joint, Metal Slip-On Diverter Tub Spout, 1.5 GPM, Chrome	  
	OPB-731BNJP	Tub & Shower Trim Kit, Multi-function Showerhead With Metal Ball Joint, Metal Slip-On Diverter Tub Spout, 1.5 GPM, Brushed Nickel	  
	OPB-721CJP	Shower Only Trim Kit, Multi-function Showerhead With Metal Ball Joint, 1.5 GPM, Chrome	  
	OPB-721BNJP	Shower Only Trim Kit, Multi-function Showerhead With Metal Ball Joint, 1.5 GPM, Brushed Nickel	  

FOR TUB & SHOWER ROUGH-IN VALVES SEE PAGE 32





OmniPro

Roman Tub Kits

 <p>OPB-900CJP</p>	<p>OPB-900CJP</p>	<p>Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate 4.0 GPM at 20 PSI, Chrome</p>	
 <p>OPB-900BNJP</p>	<p>OPB-900BNJP</p>	<p>Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate 4.0 GPM at 20 PSI, Brushed Nickel</p>	
 <p>OPB-900ORB-</p>	<p>OPB-900ORBJP</p>	<p>Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate 4.0 GPM at 20 PSI, Oil Rubbed Bronze</p>	

Roman Tub Rough-In Valve Body

 <p>OPRR-999</p>	<p>OPRR-999</p> <p>Loose Valve Body With Ceramic Cartridges, Combination 1/2" Copper Sweat, 1/2" NPT Threaded Connectors for All Ports, For Use With Three Hole Builder Roman Tub Kits</p>	
---	---	---

Notes

26




Classic

Classic Lavatory & Laundry

Classic Series features EPA WaterSense® certified lavatories with all metal pop-ups as well as laundry faucet options. All products come with our limited lifetime finish and function warranty regardless of the application.





Single Handle Lavatory Faucets

	MODEL#	DESCRIPTION	APPROVALS
 OPC-500BN	OPC-500BN	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	
 OPC--501C	OPC-501C	Single Handle 4" Lavatory Faucet, Washerless, With Metal Pop-Up, Integrated Supply Lines, 1.2 GPM, Chrome	
	OPC-501BN	Single Handle 4" Lavatory Faucet, Washerless, With Metal Pop-Up, Integrated Supply Lines, 1.2 GPM, Brushed Nickel	



*Product Listed Above is NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Two Handle Lavatory Faucets

 OPC-402C	OPC-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome	
---	-----------------	---	---

*Product Listed Above is NSF/ANSI/CAN 61: Q ≤ 1 Compliant

Laundry Faucets

 OPC-386CA	OPC-386CA	4" Laundry Tray Faucet, Metal Wing Handles, 6" Spout, Aerator and Hose Adapter, 2.2 GPM, Chrome	
--	------------------	---	---

We are continuously updating our line to meet the new trends and standards. If you don't see something please contact us direct at 800-431-2082.



Omni















Value

Omni**pro**

Value Lavatory

Value Series may meet an entry level price point, but there is no compromise on quality or warranty. The Value Series features EPA WaterSense® certified products as well as a full offering of conventional (non-pressure balancing) tub and shower options. All lavatories come with metal pop-ups and our tub and shower offering still comes with metal slip-on tub spouts! And yes, our limited lifetime finish and function warranty still applies, regardless of the application.



Single Handle Lavatory Faucets			
 OPV-500C	MODEL#	DESCRIPTION	APPROVALS
	OPV-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	   
Two Handle Lavatory Faucets			
 OPV-400C	OPV-400C	Two Handle 4" Lavatory Faucet, Round Metal Handles, All Metal Pop-Up, 1.2 GPM, Chrome	  
	OPV-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome	  









*Products Listed Above Are NSF/ANSI/CAN 61: Q ≤ 1 Compliant

We are continuously updating our line to meet the new trends and standards. If you don't see something please contact us direct at 800-431-2082.



Omni

Value Tub & Shower












Complete Single Control Tub & Shower Kits / NOT PRESSURE BALANCING — Rough & Trim			
 OPV-770C	MODEL#	DESCRIPTION	APPROVALS
	OPV-770C	Tub & Shower Trim, IPS Diverter Spout, Metal Lever Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	  
 OPV-772C	OPV-772C	Tub & Shower Trim, IPS Diverter Spout, Acrylic Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	 
Complete Two and Three Handle Tub & Shower Kits / NOT PRESSURE BALANCING — Rough & Trim			
 OPV-830C	OPV-830C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	 
	OPV-832C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	 
 OPV-832C	OPV-822C	Two Handle Shower Only Trim, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	 
	OPV-870C	Three Handle Tub & Shower Trim, Slip on Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	 
 OPV-872C	OPV-872C	Three Handle Tub & Shower Trim, Slip on Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	 

OmniPro













Tub & Shower Rough-In Valves

Single Control Washerless Pressure Balancing Rough-In Valve

 OPSR-799A  OPSR-799  OPSR-799AWS  OPSR-799PWS  OPSR-798	OPSR-799A	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, Less Stops	
	OPSR-799	Washerless Pressure Balancing Valve, Fittings (CC & IP), Less Stops	
	OPSR-799AWS	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, With Stops	
	OPSR-799PWS	Washerless Pressure Balancing Valve, Pex Connections, With Stops	
	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

Single Control Ceramic Pressure Balancing Rough-In Valve

 OPLR-799A  OPLR-799  OPLR-799P  OPLR-799AWS  OPLR-799PWS  OPLR-799PWS  OPLR-799ASO  OPLR-799AWSSO  OPLR-799PSO  OPLR-799PWSO  OPLR-799SO  OPLR-799WSSO  RP70799  RP20131	OPLR-799A	Pex A F1960 Rough-In Valve, Less Stops, With Ceramic Cartridge	
	OPLR-799	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge	
	OPLR-799P	Pex B Rough-In Valve, Less Stops, With Ceramic Cartridge	
	OPLR-799AWS	Pex A F1960 Rough-In Valve, With Stops & Ceramic Cartridge	
	OPLR-799WS	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops & Ceramic Cartridge	
	OPLR-799PWS	Pex B Rough-In Valve, With Stops & Ceramic Cartridge	
	OPLR-799ASO	Pex A F1960 Rough-In Valve, Less Stops, With Ceramic Cartridge and Copper Stub Out	
	OPLR-799AWSSO	Pex A F1960 Rough-In Valve, With Stops, Ceramic Cartridge and Copper Stub Out	
	OPLR-799PSO	Pex B Rough-In Valve, Less Stops, With Ceramic Cartridge and Copper Stub Out	
	OPLR-799PWSO	Pex B Rough-In Valve, With Stops, Ceramic Cartridge and Copper Stub Out	
	OPLR-799SO	1/2" Female Copper or 1/2" Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge and Copper Stub Out	
	OPLR-799WSSO	1/2" Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops, Ceramic Cartridge and Copper Stub Out	
	RP20131	Replacement Cartridge for all LR Rough-In Valves With & Without Stops	
	RP70799	Replacement Cartridge Seat for all LR Rough-In Valves Less Stops	



*** Extension Kits
Fits All Pressure Balancing
Rough-In Valves**

OPSR-797C Chrome
OPSR-797BN Brushed Nickel
OPSR-797ORB Oil Rubbed Bronze

OmniPro



Chrome



Brushed
Nickel



Oil Rubbed
Bronze

Hand Showers

Our Hand Showers feature 72" metal hoses, brass drop elbows and 24" metal slide bars. The chrome, brushed nickel and matte black versions come complete with a five function hand shower and non-positive shut off.



Hand Showers			
	MODEL#	DESCRIPTION	APPROVALS
	OPHS-600ORB	3 Setting Hand Held Spray Head, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Oil Rubbed Bronze	
	OPHS-650C	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 28.4" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall-Mount Brass Drop Elbow, 1.8 GPM, Chrome	
	OPHS-650BN	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 28.4" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall-Mount Brass Drop Elbow, 1.8 GPM, Brushed Nickel	
	OPHS-650MB	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 28.4" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall-Mount Brass Drop Elbow, 1.8 GPM, Matte Black	

* Slide bar is not designed to be used as a grab bar.

OmniPro



[illegible]

34

Committed to Quality

Omnipro is committed to maintaining a high standard of quality for all the products we offer. Most products in this catalog are labeled with a designated approval or certification code. Below is a brief description of these approvals.



ADA **Americans With Disabilities Act** — Protecting the rights of people with physical or mental disabilities.



CEC **California Energy Commission** — As the state's primary energy policy and planning agency, the California Energy Commission is committed to reducing energy costs and environmental impacts of energy use - such as greenhouse gas emissions - while ensuring a safe, resilient, and reliable supply of energy.



EPA **EPA WaterSense®** — A U.S. Environmental Protection Agency (EPA) program designed to encourage water efficiency in the United States through the use of a special label on consumer products.



IAPMO **International Association of Plumbing and Mechanical Officials** — The IAPMO publishes standards covering products used in the Recreational Vehicle and Manufactured Housing Industry called IAPMO Trailer Standards.



LEAF **Safe Drinking Water Act (SDWA) / Federal Law No. 111-380** — This is our symbol indicating a product complies with the Safe Drinking Water Act. The national law mandates that lead free products contain less than .25% weighted average lead content on wetted surfaces in applications involving dispensing water for human consumption.



UPC **Uniform Plumbing Code** — Developed by the International Association of Plumbing and Mechanical Officials to govern the installation and inspection of plumbing systems as a means promoting the public's health, safety and welfare.

LIMITED LIFETIME WARRANTY

All parts of the **Omnipro** faucet are warranted to the original consumer purchaser to be free from defects in material and workmanship. This warranty is made to the original consumer purchaser and shall be effective from the date of purchase as shown on purchaser's receipt.

Omnipro will replace, free of charge, during the warranty period, any part which proves defective in material and/or workmanship under normal installation, use and service. **Omnipro's** obligation under this warranty shall be limited to the replacement of any parts which proves defective upon **Omnipro's** inspection of such product. Replacement parts can be obtained by returning the defective part to your local **Omnipro** dealer, transportation charges prepaid, with a copy of the purchase receipt or by calling 1-855-806-0688.

THIS WARRANTY IS THE ONLY EXPRESSED WARRANTY MADE BY **Omnipro** AND IS LIMITED TO THE DURATION OF THIS WARRANTY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, WHETHER IMPLIED BY OPERATION OF LAW OR OTHERWISE, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OR FITNESS FOR PARTICULAR PURPOSE, ARE EXCLUDED UNDER NO CIRCUMSTANCE, AND IN NO EVENT, WILL **Omnipro** BE LIABLE FOR PERSONAL INJURY OF PROPERTY DAMAGE OR ANY OTHER

LOSS, DAMAGE, COST OF REPAIRS OR INCIDENTAL PUNITIVE, SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED UPON WARRANTY, CONTRACT, STRICT LIABILITY, NEGLIGENCE OR ANY OTHER CAUSE OF ACTION ARISING IN CONNECTION WITH THE DESIGN, MANUFACTURE, TRANSPORTATION, INSTALLATION, USE OR REPAIR OF THE PRODUCTS SOLD BY **Omnipro**. BUYER HEREBY ACKNOWLEDGES AND AGREES THAT UNDER NO CIRCUMSTANCES, AND IN NO EVENT, SHALL **Omnipro's** LIABILITY, IF ANY, EXCEED THE REPLACEMENT OF THE DEFECTIVE PRODUCT(S); NO ADDITIONAL AMOUNTS SHALL BE MADE FOR THE LABOR OR DAMAGE RESULTING FROM THE SAME, EXCEPT AS EXPRESSLY SET FORTH IN THIS PARAGRAPH, ALL PRODUCTS AND/OR SERVICES PROVIDED BY **Omnipro** AND ITS EMPLOYEES AND AGENTS ARE PROVIDED "AS IS" "WHERE IS" AND "WITH ALL FAULTS".

Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty is void for any damage to this faucet due to misuse, abuse, neglect, accident, improper installation, any use in violation of instructions furnished by us, or any use of replacement parts other than genuine **Omnipro** parts.

Omnipro



OmniPro

OmniPro® Customer Service

Toll Free: 800.217.4603

Email: mail@omniprofaucets.com

Web: www.omniprofaucets.com