

KITCHEN FAUCETS • LAVATORY FAUCETS • TUB & SHOWER KITS

Table of Contents









Numbering System3
Highlight Kitchen and Lavatory6
Highlight Tub & Shower7
Angelic Kitchen, Bar and Lavatory10
Angelic Tub & Shower11
Angelic Roman Tub12
Leverage Kitchen Ceramic14
Leverage Kitchen and Bar Ceramic15
Leverage Lavatory Ceramic16
Leverage Tub & Shower Trim / 6" Showerhead17
Leverage Kitchen and Bar Washerless18
Leverage Lavatory Washerless19
Leverage Tub & Shower Trim / Core Showerhead20


Builder Kitchen and Pot Fillers	22
Builder Lavatory	23
Builder Tub & Shower	24
Builder Rough-In Valves and Roman Tub	25
Classic Lavatory and Laundry	28
Value Lavatory	30
Value Tub & Shower	31
Hand Showers	32
Quality Statement	33
Warranty	3:



Numbering System

Example:

Leverage, Single Handle Kitchen Faucet, Chrome



	Faucet Series					
Highlight Designation: OPH	Angelic Designation: OPA	Leverage Designation: OPL	Builder Designation: OPB	Classic Designation: OPC	Value Designation: OPV	

Kitchen									
100 Series Single Handle Kitchens	100/105 Metal Handle / Less Spray	130/135 Metal Handl Spray On De			151 Pull-Down	153 Pull-	Out	155 Culinary Faucet	190 Pot Filler
200 Series Two Handle Kitchens	200/205 Metal Handles Less Spray	202 Acrylic Less S	ic Handles Spray	240/245 Metal Handles With Spray	242 Acrylic Handles With Spray		250 Metal Hand Less Spray	lles	 Il Handles Spray

		Specialty Faucets	
300 Series Bar, Laundry, Wallmount	320/325 Bar Faucet / Three Hole / Metal Handles	380 & 386 Laundry Faucet	308, 312 Wallmount Kitchen

Lavatory						
400 Series* Two Handle Lavatory	400/405 4"Centerset / Metal Handles	402 4" Centerset / Acryli	ic Handles	420 4" Centerset / High Arc Spout	480 Widespread / Metal Handles	
500 Series Single Handle Lavatory	500/505 4" Centerset / Single Hole /Mi	etal Handle	502 4" Centerset	: / Single Hole /Acrylic Handle	550 4" Centerset/1 or 3 hole Mount/ 50/50 Push Pop-Up	

	Hand Shower
600 Series	600
Hand Shower	72" Hose / 24" Metal Slide Bar

	Tub & Showers * Pressure Balanced Valve ** Conventional — Non Pressure Balanced Valve					
700 Series* Single Handle Tub & Shower	700/705 Valve Only Metal Handle	720/725 Shower Only Metal Handle	730/735 Tub & Shower Metal Handle	SR-799 Universal Pressure Balancing Valve		
700 Series** Single Handle Tub & Shower / Metal Handle		772 Tub & Shower / Acrylic Handle				
800 Series** Two Handle Tub & Shower	820 Shower Only Metal Handles	822 Shower Only Acrylic Handles	830 Tub & Shower Metal Handles	832 Tub & Shower Acrylic Handles		
800 Series** Three Handle Tub & Shower	andle Tub & Shower / Metal Handles		872 Tub & Shower / Acrylic Handles			

Roman Tubs					
900 Series Two Handle	900 3 Hole	999 Universal 3 Hole			
Roman Tub	Metal Handles	Rough-In Valve			

Finish Designations
C = Chrome
BN = Brushed Nickel
MB = Matte Black
ORB = Oil Rubbed Bronze
SS = Stainless Steel
RB = Rough Brass

Feature Designations					
A = Hose Adapter	G = Gerber Style	L = Less Pop-Up			
B = Wrist Blade Handles	GD = Grid Drain	P = Plastic Push Pop-Up			
D = Decorative	H = Heavy Duty	W = Washerless			
F = 50/50 Push Pop-Up	JP = Job Pack	WS = With Stop			



Notes



Highlight

Omnipro

Highlight Kitchen and Lavatory

Our Highlight family radiates contemporary design with its strong and bold lines. Highlight faucets are EPA WaterSense® certified and California Energy Commission compliant where applicable. This family boasts ceramic valves, push pop-ups, quick connect technology and integrated supply lines on select faucets. Highlight is the perfect pick for high quality contemporary design!



Single Handle Kitchen Fauc	ets		
	MODEL#	DESCRIPTION	APPROVALS
\cap	OPH-151C	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA Pro
	OPH-151SS	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA PO
OPH-151MB	OPH-151MB	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge,Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	ADA COO
	OPH-155C	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA COO
	OPH-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA CO
OPH-155SS	OPH-155MB	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	ADA Pro
Single Handle Lavatory Fau	cets		
	ОРН-500С	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Chrome	ADA COMPANIE CONTRACTOR
h	OPH-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Brushed Nickel	ADA COM CONTROL OF CON
OPH-500MB	OPH-500MB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Matte Black	ADA COO COO COO COO COO COO COO COO COO CO
OPH-550BN	OPH-550C	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO
	OPH-550BN	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Brushed Nickel	ADA COO COO A
	OPH-550MB	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Matte Black	E C C C C C C C C C C C C C C C C C C C











Highlight Tub & Shower

Single Control Tub & Show	wer Kits		
	MODEL#	DESCRIPTION	APPROVALS
	OPH-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Chrome	ADA COS STATE OF STAT
	OPH-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle Job Pack, 1.8 GPM, Chrome	ADA COOK
	OPH-700CJP	Valve Trim Only, Metal Lever Handle, Job Pack, Chrome	ADA COO
10	OPH-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Brushed Nickel	ADA COCO
	OPH-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Brushed Nickel	ADA CONTRACTOR
	OPH-700BNJP	Valve Trim Only, Metal Lever Handle, Job Pack, Brushed Nickel	ADA CUPC
	OPH-730MBJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Metal Slip-On Diverter Tub Spout, Job Pack, 1.8 GPM, Matte Black	ADA COOL
OPH-730MBJP	OPH-720MBJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Matte Black	ADA COOL
	OPH-700MBJP	Valve Trim Only, Metal Lever Handle, Job Pack, Matte Black	ADA CUPC

Single Control Washerless Pressure Balancing Rough-In Valve				
OPSR-799A	OPSR-799A	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, Less Stops	, CO.	
61.51.7753.K	OPSR-799	WasherlessPressure Balancing Valve, Fittings (CC & IP), Less Stops	C *	
OPSR-799	OPSR-799P	Washerless Pressure Balancing Valve, Pex Connections, Less Stops	UPC ⊗	
OPSR-799P	OPSR-799AWS	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, With Stops	UPCO ®	
OPSR-799AWS	OPSR-799WS	Washerless Pressure Balancing Valve, Fittings (CC & IP), With Stops		
OPSR-799WS	OPSR-799PWS	Washerless Pressure Balancing Valve, Pex Connections, With Stops		
OPSR-799PWS	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops		
OPSR-798	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops		

Single Control Ceram	ic Pressure Baiai	ncing Kougn-in valve	
OPLR-799A	OPLR-799A	Pex A F1960 Rough-In Valve, Less Stops, With Ceramic Cartridge	C C ®
OPLR-799	OPLR-799	Female Copper or 1/2"Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge	UPC ®
OPLR-799P	OPLR-799P	Pex B RoughOln Valve, Less Stops, With Ceramic Cartridge	
OPLR-799AWS	OPLR-799AWS	Pex A F1960 Rough-In Valve, With Stops & Ceramic Cartridge	UPO *
OPLR-799PWS	OPLR-799WS	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops & Ceramic Cartridge	\$ \$\tag{\alpha}\$
OPLR-799PWS	OPLR-799PWS	Pex B Rough-In Valve, With Stops & Ceramic Cartridge	\(\begin{array}{c} \omega_{\omega} \\ \omega_{\omega} \\ \omega \
RP20131	RP20131	Replacement Cartridge for all LR Rough-In Valves With & Withouit Stops	
RP70799	RP70799	Replacement Cartridge Seat for all LR Rough-In Valves Less Stops	



* Extension Kits Fits All Pressure Balancing Rough-In Valves

OPSR-797C Chrome
OPSR-797BN Brushed Nickel
OPSR-797ORB Oil Rubbed Bronze









Notes



Angelic

Omnipro

Angelic Kitchen, Bar and Lavatory

Angelic is a transitional style family that comes in Chrome, Stainless Steel, Brushed Nickel and Oil Rubbed Bronze finishes. Angelic is the perfect choice for any showroom, remodeling project or new construction job that requires a high end design at a remarkably affordable price without compromising quality. All Angelic family products come with our limited lifetime finish and function warranty regardless of the application. And yes, all of our tub spouts and pop-ups are still metal!

Single Handle Kitchen Fau	cets		
	MODEL#	DESCRIPTION	APPROVALS
	OPA-151C	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	E DE S
OPA-151C	OPA-151SS	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA O
	OPA-151ORB	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	ADA OFF
	OPA-155C	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	LADA CO.
OPA-155SS	OPA-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA DE A
Bar Faucets			
	OPA-320C	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Chrome	ADA CO
OPA-320C 746	OPA-320SS	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Stainless Steel	ADA COO
OPA-320SS OPA-320ORB	OPA-320ORB	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Oil Rubbed Bronze	ADA CO
Two Handle Lavatory Fauc	ets		
	OPA-420C	Two Handle High Arc 4"Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA COM MINOR
	OPA-420BN	Two Handle High Arc 4"Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO
OPA-420ORB	OPA-420ORB	Two Handle High Arc 4"Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA CON MACRICAL AND
	OPA-480C	Two Handle 8"Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA CO COCO
7 1 A OPA-480C	OPA-480BN	Two Handle 8"Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA CON CONTROL OF
3.7. 1300	OPA-480ORB	Two Handle 8"Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA COLOR











Angelic Tub & Shower

	MODEL#	DESCRIPTION	APPROVALS
	OPA-730CJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	ADA CORE CONTROL OF THE PROPERTY OF THE PROPER
	OPA-720CJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	ADA OF STATE
P	OPA-730BNJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	ADA COO CONTRACTOR
	OPA-720BNJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	ADA COOR
	OPA-730ORBJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	ADA COO COO COO COO COO COO COO COO COO CO
ORB JP	OPA-720ORBJP	Single Handle Shower Trim Only, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	

Single Control Washe	rless Pressure B	alancing Rough-In Valve	•
OPSR-799A	OPSR-799A	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, Less Stops	,
OPSR-799A	OPSR-799	WasherlessPressure Balancing Valve, Fittings (CC & IP), Less Stops	C S
OPSR-799	OPSR-799P	Washerless Pressure Balancing Valve, Pex Connections, Less Stops	DPC ⊗
OPSR-799P	OPSR-799AWS	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, With Stops	C *
OPSR-799AWS	OPSR-799WS	Washerless Pressure Balancing Valve, Fittings (CC & IP), With Stops	C *
OPSR-799WS	OPSR-799PWS	Washerless Pressure Balancing Valve, Pex Connections, With Stops	C *
OPSR-799PWS	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
OPSR-798	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

Single Control Ceramic Pressure Balancing Rough-In Valve				
OPLR-799A	OPLR-799A	Pex A F1960 Rough-In Valve, Less Stops, With Ceramic Cartridge	S S S S S S S S S S S S S S S S S S S	
OPLR-799	OPLR-799	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge	UPC *	
OPLR-799P	OPLR-799P	Pex B Rough0In Valve, Less Stops, With Ceramic Cartridge		
OPLR-799AWS	OPLR-799AWS	Pex A F1960 Rough-In Valve, With Stops & Ceramic Cartridge	C ®	
OPLR-799PWS	OPLR-799WS	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops & Ceramic Cartridge	UPC *	
OPLR-799PWS	OPLR-799PWS	Pex B Rough-In Valve, With Stops & Ceramic Cartridge		
RP20131	RP20131	Replacement Cartridge for all LR Rough-In Valves With & Withouit Stops		
RP70799	RP70799	Replacement Cartridge Seat for all LR Rough-In Valves Less Stops		











Angelic Roman Tub

Complete Roman Tub Kits — Rough & Trim				
	MODEL#	DESCRIPTION	APPROVALS	
7 OPA-900C	OPA-900C	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Chrome	ADA COS	
OPA-900BN	OPA-900BN	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Brushed Nickel	<u>\$</u>	
2 OPA-900ORB	OPA-900ORB	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Oil Rubbed Bronze	E D	







Notes





Leverage

Omnipro

Leverage Kitchen Ceramic

Leverage is our latest family addition that boasts a unique quick install nut on all two handle faucets and single handle kitchen pull-down faucets. Push pop-ups can also be found on all lavatory faucets in various configurations. Due to our longstanding commitment to water conservation, all Leverage faucets are California Energy Commission compliant & EPA WaterSense Certified where applicable.



Single Handle Ceramic Val			
	MODEL#	DESCRIPTION	APPROVALS
OPL-100C	OPL-100C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	ADA
	OPL-100SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	
	OPL-140C	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	E DE
OPL-140SS	OPL-140SS	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	E DE
OPL-150C	OPL-150C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	ADA COS
	OPL-150SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	ADA O
	OPL-151C	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Chrome	ADA O
OPL-151SS	OPL-151SS	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Stainless Steel	ADA CO







Leverage Kitchen and Bar Ceramic

Two Handle Ceramic Valve	Kitchen Faucets		
	MODEL#	DESCRIPTION	APPROVALS
OPL-200C	OPL-200C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	
	OPL-240C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	
OPL-240C	OPL-250C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	
OPL-250SS	OPL-250SS	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	ADA OF S
	OPL-260C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	ADA
OPL-260C	OPL-260SS	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	
Two Handle Ceramic Valve	Bar Faucet		
OPL-320C	OPL-320C	4" Centerset, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	ADA PO







Leverage Lavatory Ceramic

Single Handle Ceramic Va	lve Lavatory Fauce	ets .	
	MODEL#	DESCRIPTION	APPROVALS
OPL-500CF	OPL-500CF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO
OPL-500BNF	OPL-500BNF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge,1.2 GPM, Brushed Nickel	ADD COMPANY OF THE PARK OF THE
Two Handle Ceramic Valve	Lavatory Faucets		
OPL-400CF	OPL-400CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	ADA) CONTROL OF THE PROPERTY O
OPL-400BNF	OPL-400CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	ADA) COO COO COO COO COO COO COO COO COO CO
THE	OPL-400BNF	4"Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	ADA)
OPL-420CF	OPL-400CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge. 1.2 GPM, Chrome	ADA CONTRACTOR OF THE PARTY OF
	OPL-400BNP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge. 1.2 GPM, Brushed Nickel	ADA)
OPL-420BN	OPL-420CF	4"Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	ADA)
	OPL-420BNF	4"Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	ADA) COLOR
OPL-480CF	OPL-420CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	
OPL-480BNF	OPL-480CF	8"Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	ADA CON STATE OF THE PROPERTY
OF L-40 UDINF	OPL-480BNF	8"Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	DDA COMMING NO MINISTRA







Leverage Tub & Shower Ceramic

Single Control Tub & Show	er Job Pack Trim K	its	
	MODEL#	DESCRIPTION	APPROVALS
	OPL-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	ADA COMPANIENT OF THE PROPERTY
8	OPL-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO
OPL-730CJP	OPL-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	ADA CON STREET
	OPL-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO
OPL-730BNJP	OPL-700CJP	Valve Trim Only, Job Pack, Chrome	
	OPL-700BNJP	Valve Trim Only, Job Pack, Brushed Nickel	ADA UT

Single Control Washe	rless Pressure B	alancing Rough-In Valve	•	Single Control Ceram	ic Pressure Bala	ncing Rough-In Valve	
	OPSR-799A	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, Less Stops		OPLR-799A	OPLR-799A	Pex A F1960 Rough-In Valve, Less Stops, With Ceramic Cartridge	© *
OPSR-799A	OPSR-799	WasherlessPressure Balancing Valve, Fittings (CC & IP), Less Stops		OPLR-799	OPLR-799	Female Copper or 1/2"Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge	
OPSR-799	OPSR-799P	Washerless Pressure Balancing Valve, Pex Connections, Less Stops		OPLR-799P	OPLR-799P	Pex B Rough0In Valve, Less Stops, With Ceramic Cartridge	
OPSR-799P	OPSR-799AWS	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, With Stops	\$ \$\tag{\frac{1}{2}}\$	OPLR-799AWS	OPLR-799AWS	Pex A F1960 Rough-In Valve, With Stops & Ceramic Cartridge	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
OPSR-799AWS	OPSR-799WS	Washerless Pressure Balancing Valve, Fittings (CC & IP), With Stops	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	OPLR-799PWS	OPLR-799WS	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops & Ceramic Cartridge	
OPSR-799WS	OPSR-799PWS	Washerless Pressure Balancing Valve, Pex Connections, With Stops		OPLR-799PWS	OPLR-799PWS	Pex B Rough-In Valve, With Stops & Ceramic Cartridge	J-00-8
OPSR-799PWS	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops		RP20131	RP20131	Replacement Cartridge for all LR Rough-In Valves With & Withouit Stops	
OPSR-798	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops		RP70799	RP70799	Replacement Cartridge Seat for all LR Rough-In Valves Less Stops	



* Extension Kits Fits All Pressure Balancing Rough-In Valves

OPSR-797C Chrome
OPSR-797BN Brushed Nickel
OPSR-797ORB Oil Rubbed Bronze







Leverage Kitchen & Bar Washerless

Single Handle Washerless Valve Kitchen Faucets						
	MODEL#	DESCRIPTION	APPROVALS			
OPL-105C OPL-135C OPL-145SS	OPL-105C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	ADA COO Ó			
	OPL-105SS	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	ADA COO O			
	OPL-135C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	ADA UPC			
	OPL-145C	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	ADA UPC			
	OPL-145SS	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	ADA CON A			

Two Handle Washerless Valve Kitchen Faucets					
OPL-205C	OPL-205C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	ADA		
OPL-245C	OPL-245C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome			
OPL-202C	OPL-202C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome			
OPL-242C	OPL-242C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome			
OPL-250CB	OPL-250CB	Wrist Blade Handles, Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome			

Two Handle Washerless Ba	ar Faucets		
OPL-325C	OPL-325C	4" Centerset, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	ADA O
OPL-325CB	OPL-325CB	4"Centerset, Wrist Blade Handles, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	ADA COS





Leverage Lavatory Washerless

	MODEL#	DESCRIPTION	APPROVALS
	OPL-505CL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA C C C C C C C C C C C C C C C C C C
OPL-505CL	OPL-505BNL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	ADA CONTRACTOR
OPL-505BNF	OPL-505CF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA CONTRACTOR
	OPL-505BNF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	ADA CONTRACTOR
	OPL-505CP	4"Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COM COMPANY
	OPL-505BNP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	BADA COO METSON

Two Handle Washerless Va	lve Lavatory Fauce	ets	
ICA	OPL-405CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA OFFICE ACTION
OPL-405CL	OPL-405CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COLOR
	OPL-405CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA) COMPANIENT OF THE PROPERTY OF THE PROPERT
OPL-405CLB	OPL-405CLB	4" Centerset, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COLOR
OPL-402C	OPL-402CL	4" Centerset, Acrylic Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	C Secretary
	OPL-402CF	4" Centerset, Acrylic Handles, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	C Services
	OPL-402CP	4" Centerset, Acrylic Handles, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	c d
OPL-480CLB	OPL-480CLB	8"Widespread, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COM CONTROL OF







Leverage Tub & Shower Washerless

Single Control Tub & Show	ver Job Pack Trim K MODEL#	its DESCRIPTION	APPROVALS
	OPL-735CJP	Single Handle Tub & Shower Trim Only, Core Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	ADA COMPONENTIAL CONTRACTOR CONTR
OPL-735CJP	OPL-725BNJP	Single Handle Shower Trim Only, Core Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	ADA CO
OPL-725CJP	OPL-705CJP	Single Handle Valve Trim Only, Job Pack, Chrome	E DE

le Control Washe	erless Pressure B	alancing Rough-In Valve	e	Single Control Ceram	ic Pressure Bala	ncing Rough-In Valve
	OPSR-799A	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, Less Stops	UPO.	OPLR-799A	OPLR-799A	Pex A F1960 Rough-In Valve Less Stops, With Ceramic Cartridge
OPSR-799A	OPSR-799	WasherlessPressure Balancing Valve, Fittings (CC & IP), Less Stops	UPPC C	OPLR-799	OPLR-799	Female Copper or 1/2"Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge
OPSR-799	OPSR-799P	Washerless Pressure Balancing Valve, Pex Connections, Less Stops	ر المحادث	OPLR-799P	OPLR-799P	Pex B RoughOln Valve, Less Stops, With Ceramic Cartridge
OPSR-799P	OPSR-799AWS	Washerless Pressure Balancing Valve, Pex"A" ASTM F1960 Connections, With Stops	ÜPC.	OPLR-799AWS	OPLR-799AWS	Pex A F1960 Rough-In Valve, With Stops & Ceramic Cartridge
OPSR-799AWS	OPSR-799WS	Washerless Pressure Balancing Valve, Fittings (CC & IP), With Stops	UPC.	OPLR-799PWS	OPLR-799WS	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops & Ceramic Cartridge
OPSR-799WS	OPSR-799PWS	Washerless Pressure Balancing Valve, Pex Connections, With Stops	ÜPC.	OPI R-799PWS	OPLR-799PWS	Pex B Rough-In Valve, With Stops & Ceramic Cartridge
OPSR-799PWS	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops		RP20131	RP20131	Replacement Cartridge for all LR Rough-In Valves With & Withouit Stops
OPSR-798	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops		RP70799	RP70799	Replacement Cartridge Seat for all LR Rough-In Valves Less Stops







UPC

UPG.

VPC.

PP.

W.



Builder

Omnipro

Builder Kitchen and Pot Fillers

Designed with the builder in mind, the Builder family features ceramic valves, tub & shower job packs, EPA WaterSense® certified lavatory and tub & shower configurations in pleasing timeless designs. All of our slip-on tub spouts are still metal as are all of our pop-ups! All Builder family products come with our limited lifetime finish and function warranty regardless of the application.

Single Handle Kitchen Fau	ıcets		
	MODEL#	DESCRIPTION	APPROVALS
OPB-151C	OPB-150C	Single Handle Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, Less Spray, 1.5 GPM, Chrome	ADA Pro
	OPB-150SS	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Stainless Steel	
	OPB-150ORB	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Oil Rubbed Bronze	
	OPB-151C	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	
	OPB-151SS	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	E ADA
	OPB-151ORB	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	ADA CO

Pot Fillers			
OPB-190C	OPB-190C	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Chrome	
OPB-190SS	OPB-190SS	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Stainless Steel	E ADA
OPB-190ORB	OPB-190ORB	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Oil Rubbed Bronze	Eada O

Don't see something, contact us direct at 800-431-2082.









Builder Lavatory

Single Handle Lavatory Faucets					
MODEL		DESCRIPTION	APPROVALS		
OPB-500C	OPB-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) Dro		
OPB-500BN	OPB-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA) Proposition of the second		
OPB-500ORB	OPB-500ORB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA) COO COO COO COO COO COO COO COO COO CO		

Two Handle Lavatory Fauc	Two Handle Lavatory Faucets					
	OPB-400BN	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA O O O			
OPB-400BN	OPB-400ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA) COO CONTRACTOR OF THE PARTY OF THE PART			
	OPB-420C	Two Handle 4"Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	ADA)			
OPB-420ORB	OPB-420BN	Two Handle 4"Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA)			
	OPB-420ORB	Two Handle 4"Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA) PO STATE OF STAT			
	OPB-480C	Two Handle 8" Widespread Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	ADA)			
OPB-480C	OPB-480BN	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA) Solomonia			
	OPB-480ORB	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA) Solo			









Builder Tub & Shower

Single Control Tub & Show	ver Kits		
	MODEL#	DESCRIPTION	APPROVALS
	OPB-730CDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack,1.75 GPM, Chrome	ADA) COO STATES OF THE STATES
OPB-700CJP	OPB-720CDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Chrome	ADA) COO STATE OF THE PARTY OF
	OPB-700CJP	Valve Only Trim, Metal Lever Handle, Job Pack, Chrome	ADA P
OPB-720BNDJP	OPB-730BNDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	ADA COO STATE OF THE PARTY OF T
	OPB-720BNDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	ADA) COO STATE OF THE PARTY OF
	OPB-700BNJP	Valve Only Trim, Metal Lever Handle, Job Pack, Brushed Nickel	ADA)
	OPB-730ORBDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Oil Rubbed Bronze	ADA) COO STATE OF THE STATE OF
	OPB-720ORBDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Oil Rubbed Bronze	ADA COO STATES OF THE STATES O
OPB-730ORBDJP	OPB-700ORBJP	Valve Only Trim, Metal Lever Handle, Job Pack, Oil Rubbed Bronze	E ADA

Don't see something, contact us direct at 800-431-2082.









Builder Rough-In Valves and Roman Tub

Single Control Washe	velocs Prossume P	alancing Rough-In Valve	
OPSR-799A	OPSR-799A	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, Less Stops	UPC.
OF SHEET SHEET	OPSR-799	WasherlessPressure Balancing Valve, Fittings (CC & IP), Less Stops	UPC 8
OPSR-799	OPSR-799P	Washerless Pressure Balancing Valve, Pex Connections, Less Stops	UPC.
OPSR-799P	OPSR-799AWS	Washerless Pressure Balancing Valve, Pex "A" ASTM F1960 Connections, With Stops	UPC *
OPSR-799AWS	OPSR-799WS	Washerless Pressure Balancing Valve, Fittings (CC & IP), With Stops	
OPSR-799WS	OPSR-799PWS	Washerless Pressure Balancing Valve, Pex Connections, With Stops	UPC.
OSR-799PWS	OPSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
OPSR-798	OPSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

Single Control Ceramic Pressure Balancing Rough-In Valve					
OPLR-799A	OPLR-799A	Pex A F1960 Rough-In Valve, Less Stops, With Ceramic Cartridge			
OPLR-799	OPLR-799	Female Copper or 1/2"Male Iron Pipe Rough-In Valve, Less Stops, With Ceramic Cartridge	UPC C *		
OPLR-799P	OPLR-799P	Pex B Rough0In Valve, Less Stops, With Ceramic Cartridge	(C) *		
OPLR-799AWS	OPLR-799AWS	Pex A F1960 Rough-In Valve, With Stops & Ceramic Cartridge	Ū P C ⊗		
OPLR-799PWS	OPLR-799WS	Female Copper or 1/2" Male Iron Pipe Rough-In Valve, With Stops & Ceramic Cartridge	C *		
OPLR-799PWS	OPLR-799PWS	Pex B Rough-In Valve, With Stops & Ceramic Cartridge	UPC.		
RP20131	RP20131	Replacement Cartridge for all LR Rough-In Valves With & Withouit Stops			
RP70799	RP70799	Replacement Cartridge Seat for all LR Rough-In Valves Less Stops			

Roman Tub Kits			
OPB-900CJP	OPB-900CJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI ,Chrome	ADA PO
OPB-900BNJP	OPB-900BNJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Brushed Nickel	ADA PE
OPB-900ORBJP	OPB-900ORBJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Oil Rubbed Bronze	ADA CO

Roman Tub Rough-In Valve Body					
OPRR-999	OPRR-999	Loose Valve Body With Ceramic Cartridges, Combination 1/2"Copper Sweat, 1/2"NPT Threaded Connectors for All Ports, For Use With Three Hole Builder Roman Tub Kits	O O		











Notes





Classic

Omnipro

Classic Lavatory & Laundry

Classic Series features EPA WaterSense® certified lavatories with all metal pop-ups as well as laundry faucet options. All Classic products come with our limited lifetime finish and function warranty regardless of the application.

Single Handle Lavatory Faucets					
	MODEL#	DESCRIPTION	APPROVALS		
OPC-500BN	OPC-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) OF STATE OF STAT		
	OPC-500BN	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA) OF STATES		
Two Handle Lavatory Fauc	ets				
OPC-400C	OPC-400C	Two Handle 4" Lavatory Faucet, Metal Wing Handles, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) COO CONTRACTOR OF THE PARTY OF THE PART		
	OPC-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome	c A		

Laundry Faucets					
OPC-386CA	OPC-386CA	4" Laundry Tray Faucet, Metal Wing Handles, 6" Spout, Aerator and Hose Adapter, 2.2 GPM, Chrome	ADA ADA		
	OPC-386CH	4" Heavy Duty Laundry Tray Faucet, Metal Wing Handles, 6" Swing Spout, 2.2 GPM, Chrome	ADA O		

We are continuously updating our line to meet the new trends and standards. If you don't see something please contact us direct at 800-431-2082.







Value

Omnipro

Value Lavatory

Value Series may meet an entry level price point, but there is no compromise on quality or warranty. The Value Series features EPA WaterSense® certified products as well as a full offering of conventional (non-pressure balancing) tub and shower options. All lavatories come with metal pop-ups and our tub and shower offering still comes with metal slip-on tub spouts! And yes, our limited lifetime finish and function warranty still applies, regardless of the application.

Single Handle Lavatory Faucets					
	MODEL#	DESCRIPTION	APPROVALS		
	OPV-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	ADA DE		
OPV-500C	OPV-502C	Single Handle 4" Lavatory Faucet, Acrylic Handle, All Metal Pop-Up, 1.2 GPM, Chrome	₽ P		
Two Handle Lavatory Fauc	ets				
OPV-400C	OPV-400C	Two Handle 4" Lavatory Faucet, Round Metal Handles, All Metal Pop-Up, 1.2 GPM, Chrome	C C C C C C C C C C C C C C C C C C C		
	OPV-402CL	Two Handle 4" Lavatory Faucet, Acrylic Handles, Less Pop-Up, 1.2 GPM, Chrome	co d		
OPV-402CL	OPV-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome	CONTROL OF THE PROPERTY OF THE		

We are continuously updating our line to meet the new trends and standards. If you don't see something please contact us direct at 800-431-2082.





Value Tub & Shower

Complete Single Control T	ub & Shower Kits /	NOT PRESSURE BALANCING — Rough & Trim	
(6)	MODEL#	DESCRIPTION	APPROVALS
	OPV-770C	Tub & Shower Trim, IPS Diverter Spout, Metal Lever Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	ADA CENTRAL SECTION SE
OPV-770C OPV-772C	OPV-772C	Tub & Shower Trim, IPS Diverter Spout, Acrylic Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	C LINE CONTROL OF THE PARTY OF
Complete Two and Three H	landle Tub & Show	rer Kits / NOT PRESSURE BALANCING — Rough & Trim	
	OPV-830C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	C INNO &
OPV-830C	OPV-820C	Two Handle Shower Only Trim, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	C INDICE OF THE PARTY OF THE PA
	OPV-832C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	C PASS & CONTRACTOR OF THE PASS OF THE PAS
OPV-832C	OPV-822C	Two Handle Shower Only Trim, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	C PARCE STATE OF THE PARCE OF T
	OPV-870C	Three Handle Tub & Shower Trim, Slip on Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	C NOTE OF THE PROPERTY OF THE
OPV-872C	OPV-872C	Three Handle Tub & Shower Trim, Slip on Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	C PAGE OF THE PAGE





Hand Showers

Our Hand Showers feature 72" metal hoses, brass drop elbows and 24" metal slide bars. The chrome and brushed nickel versions come complete with a five function hand shower and non-positive shut off.



Hand Showers		I B	
et a	MODEL#	DESCRIPTION	APPROVALS
	OPHS-600C	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Chrome	ADDA COMPANY OF THE PROPERTY O
OPHS-600C	OPHS-600BN	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Brushed Nickel	ADA CONTRACTOR
OPHS-600ORB	OPHS-600ORB	3 Setting Hand Held Spray Head, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Oil Rubbed Bronze	TO STORY OF THE PARTY OF THE PA

*Slide bar is not designed to be used as a grab bar.







Omnipro

Committed to Quality

Omnipro is committed to maintaining a high standard of quality for all the products we offer. Most products in this catalog are labeled with a designated approval or certification code. Below is a brief description of these approvals.



ADA American Disabilities Act — Protecting the rights of people with physical or mental disabilities.



CEC

California Energy Commission — As the state's primary energy policy and planning agency, the California Energy Commission is committed to reducing energy costs and environmental impacts of energy use - such as greenhouse gas emissions - while ensuring a safe, resilient, and reliable supply of energy.



EPA WaterSense® — A U.S. Environmental Protection Agency (EPA) program designed to encourage water efficiency in the United States through the use of a special label on consumer products.



International Association of Plumbing and Mechanical Officials — The IAPMO publishes standardscovering products used in the Recreational Vehicle and Manufactured Housing Industry called IAPMO Trailer Standards.



Safe Drinking Water Act (SDWA) / Federal Law No. 111-380 — This is our symbol indicating a product complies with the Safe Drinking Water Act. The national law mandates that lead free products contain less than .25% weighted average lead content on wetted surfaces in applications involving dispensing water for human consumption.



UPC

LEAF

Uniform Plumbing Code — Developed by the International Association of Plumbing and Mechanical Officials to govern the installation and inspection of plumbing systems as a means promoting the publics health, safety and welfare.

LIMITED LIFETIME WARRANTY

All parts of the **OmniPro** faucet are warranted to the original consumer purchaser to be free from defects in material and workmanship. This warranty is made to the original consumer purchaser and shall be effective from the date of purchase as shown on purchaser's receipt.

OmniPro will replace, free of charge, during the warranty period, any part which proves defective in material and/or workmanship under normal installation, use and service. OmniPro's obligation under this warranty shall be limited to the replacement of any parts which proves defective upon OmniPro's inspection of such product. Replacement parts can be obtained by returning the defective part to your local OmniPro dealer, transportation charges prepaid, with a copy of the purchase receipt or by calling 1-855-806-0688.

THIS WARRANTY IS THE ONLY EXPRESSED WARRANTY MADE BY **OmniPro** AND IS LIMITED TO THE DURATION OF THIS WARRANTY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, WHETHER IMPLIED BY OPERATION OF LAW OR OTHERWISE, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OR FITNESS FOR PARTICULAR PURPOSE, ARE EXCLUDED UNDER NO CIRCUMSTANCE, AND IN NO EVENT, WILL **OmniPro** BE LIABLE FOR LOSS,

DAMAGE, COST OF REPAIRS OR INCIDENTAL PUNITIVE, PERSONAL INJURY OF PROPERTY DAMAGE OR ANY OTHER SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED UPON WARRANTY, CONTRACT, STRICT LIABILITY, NEGLIGENCE OR ANY OTHER CAUSE OF ACTION ARISING IN CONNECTION WITH THE DESIGN, MANUFAC-TURE, TRANSPORTATION, INSTALLATION, USE OR REPAIR OF THE PRODUCTS SOLD BY OmniPro. BUYER HEREBY ACKNOWLEDGES AND AGREES THAT UNDER NO CIRCUM-STANCES, AND IN NO EVENT, SHALL OmniPro's LIABILITY, IF ANY, EXCEED THE REPLACEMENT OF THE DEFECTIVE PRODUCT(S); NO ADDITIONAL AMOUNTS SHALL BE MADE FOR THE LABOR OR DAMAGE RESULTING FROM THE SAME, EXCEPT AS EXPRESSLY SET FORTH IN THIS PARAGRAPH, ALL PRODUCTS AND/OR SERVICES PROVIDED BY OmniPro AND ITS EMPLOYEES AND AGENTS ARE PROVIDED "AS IS" "WHERE IS" AND "WITH ALL FAULTS".

Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is void for any damage to this faucet due to misuse, abuse, neglect, accident, improper installation, any use in violation of instructions furnished by us, or any use of replacement parts other than genuine **OmniPro** parts.



Notes



Notes



Omnipro

OmniPro_® **Customer Service**

Toll Free: 800.217.4603

Email: mail@omniprofaucets.com Web: www.omniprofaucets.com